

SUV-2A-B


Single-Use
**Urology
Videoscope**

CE: G1 004242 0003


Ingenuity and Insight

We care your care

Excellent maneuverability ensures that the operation is on effective. Even with instruments in the working channel, it can be manipulated at will.




Data source: Internal test



The rotation function at top allows the operator to manage the operation in standing or sitting position without obstructing the irrigation pipes.


Optional:



Slim,pliable and tough

The uniform outer diameter size is **8.4Fr(Φ2.8mm)** with varied stiffness of insertion core to help operator navigate smoothly in urethra and kidney, ensures a sufficient irrigation flow.

The excellent passive bending can effectively insert into the lower renal calyces, ensuring that there' s no omission. Even with fiber or accessories the bending angle is still excellent.



Field of View: 120°
Wider field of view of 120° gives the operator a new visual experience.



Depth of View: 0.5mm-120mm
See deeper to improve operator' s prediction rate.

Deflection 285° UP/DOWN

Deflection capabilities of **285°** up and down allow for optimal visualization of lower renal calyces as well as upper and middle calyces.

See Clearer Treat Better

Powerful Chip Processing


See Better

Improve image contrast




Three levels of adjustable lighting brightness help the operator observe more clearly at different depths.

Edge structure emphasis and capillary emphasis, help in better identifying upper tract tumors due to improved visibility of vessel structures.



Can take pictures when recording. USB device makes storage more convenience .



Scivita brings a brand-new and higher-resolution digital image without distortion, even on a **32-inch** monitor.



The processor compatible with any size monitor.

Be ready at any time


Be ready when you need it,plug and play.
You decide which hand drives. The one-time design avoids cross-infection and can save the hospital a lot of and maintenance costs.
Friendly to young doctors,no need to worry about damage the expensive reusable URS during use,which helps the growth of young doctors.

Scivita Medical always committed to environmental protection,We have purposely make the package can be easily recycled.



- No Sterilization**
- No Cross Infection**
- No Maintenance**

See Clearer Treat Better

SPECIFICATION		SUV-2A-B
	Mould	SUV-2A-B
	Shaft Diameter OD(fr)	8.4 Fr(Φ2.8mm)
	Outer diameter of distal end	7.2 Fr(Φ2.4mm)
	Working Length	680mm
	Total Length	990mm
	Working Channel OD(fr)	3.6 Fr(Φ1.2mm)
	Field of View	120°
	Depth of Field	0.5-120mm
	Angulation range	285° Up/Down

SPECIFICATION

PROCESSOR



Mould	HDVS-S100A
Size	300mm (W) 225mm (D) 57 mm (H)
Weight	About 2.5 Kg
Power supply requirement	100-240V±10% AC
Output	DVI*1、SDI*2
Interface	Foot switch and USB

ACCESSARIES(OPTIONAL):

Monitor	LMD-X2705MD
Irrigation Valve	80460
	T-001
	Y-001
Foot Pedal	

About US

Scivita Medical Technology Co., Ltd. (“Scivital Medical”) is located in Suzhou Industrial Park. Scivita Medical is engaged in State-of-the-art medical equipment R&D, Production, Sales and Service.

Scivita Medical is a high-tech enterprise engaged in the field of optical diagnosis & treatment, multidimensional images development, high-performance materials research and precision manufacturing within minimally invasive medical treatment. Scivita Medical owns intellectual property rights and independent brand products. A number of products in Scivita Medical’ s product pipeline are the first in the world. Especially equipped with the brand new concept of endoscopes and its imaging system, our epoch-making products greatly enable the current endoscopy and clinical program to be safer and more effective.



SCIVITA MEDICAL TECHNOLOGY CO.LTD.

☎ +86-512-8187 7788
 🌐 www.scivitamedical.com
 ✉ info@scivitamedical.com

NO.8, ZHONG TIAN XIANG,
 SUZHOU INDUSTRIAL
 PARK, SUZHOU, JIANGSU
 PROVINCE, P.R.CHINA, 215000

